





Clayer Series

Swimming Pool Lights

with adjustment Angle



- Code Product: Clay Layer Series
- Dimension: Series: A (Ø105 x117mm) B (Ø105 x175mm) C (Ø105 x245mm)
- Input Voltage: 12/24VDC / 12VAC
- Power consumption: Single (6W), Dual (16W), Triple (18W)
- Luminous Flux: 550 Lm at 6W 5500K, 12VAC
- Brand of LEDs: LED CREE
- Color: 3000K - CRI: > 80 (Single Color; RGB; RGBW)
- Beam Angle: 5°, 15°, 25°, 36°, 45°, 60°, 75° with adjust angle +/-10° and 360°
- Function Dimmer: Option
- Material: Body: IP68- Full Stainless 316
- Finishing (Color housing): Stainless
- IP Class: 68 for Inwater
- Class: III for IP68




- LED lifetime: 50.000hrs
- Lens: Clear
Cellular
Sand
- Standards:
 - +EMC protection
 - +IEC 62031 LED modules for general lighting Safety specifications
 - +IEC 60598 Luminaires – Parts 1+2: General requirements particular requirements and tests

Material PMMA
with UV protection



IP67



550 Lm at 6W 5500K, 12VAC

Product Description	
Control Gear	Fairchild Technology
LED Module	High-power LEDs on metal-core PCB. Collimating lens made of optical polymer/pmma
Anti-Glare	Option
Electrical Protection	EMC, inrush current
Electrical Class	3

