




Knox-12 Series
Inwater Linear Spot Light



- Series Name: Knox-12
- Dimension: 494 x 95 x 86mm;
- Input Voltage: 12 / 24 VDC/VAC
- Power consumption: 12x1; 12x3
- Luminous Flux: Series Name
- Brand of LEDs: LED CREE
- Color: 3000K - CRI: > 90 (2200 - 6000K; RGB; RGBW)
- Beam Angle: 20°x40°(5°,10°,15°,24°,36°,60°,90°,10°x90°)
- Function Dimmer: PWM on Power
- Material: Stainless 316
- Finishing (Color housing): Stainless
- IP Class: 68
- Electrical Class: III
- Cable Length: 5 Metter

- LED lifetime: 50.000hrs
- Lens: Clear
Cellular
Sand
- Standards:
 - +EMC protection
 - +IEC 62031 LED modules for general lighting Safety specifications
 - +IEC 60598 Luminaires – Parts 1+2: General requirements particular requirements and tests

Material PMMA
with UV protection




IP68

Pending

Technical tolerance: 5%

Knox 12-RGB - 10Deg



Product Description	
Control Gear	Fairchild Technology
LED Module	High-power LEDs on metal-core PCB. Collimating lens made of optical polymer/pmma
Anti-Glare	Option
Electrical Protection	EMC, inrush current
Electrical Class	3

