






Soco - Series
Inground Driveway Lights




- Code Product: Soco-Series
- Dimension: Ø84mm x H78mm, Cutout: Ø68mm x H110mm
- Input Voltage: 24VDC
- Power Consumption: 6W
- Luminous Flux: 190Lm at 3000K model E
- Brand of LED: LED CREE
- Color: 3000K, CRI > 80 (2200K-6000K; RGB, RGBW)
- Angle: Special Light
- Function: PWM on Power
- Material: Body: Aluminium
- Housing Color: Anode Topology
- IP Class: 67
- Electrical Class: III

- LED lifetime: 50.000hrs
- Lens: Clear
Cellular
Sand | Material PMMA with UV protection
- Standards:
 - +EMC protection
 - +IEC 62031 LED modules for general lighting Safety specifications
 - +IEC 60598 Luminaires – Parts 1+2: General requirements particular requirements and tests







Pending


IP67




190Lm at 3000K model E

Product Description	
Control Gear	Fairchild Technology
LED Module	High-power LEDs on metal-core PCB. Collimating lens made of optical polymer/pmma
Anti-Glare	Option
Electrical Protection	EMC, inrush current
Electrical Class	3







1




2



3



4



Note for IP67:

Water Seepage layer
there must be more than 20 cm
gravel seepage layer or
Pre-installed drainage pipe under
ther installation position.
Lamp are not suitable for installation
at long-term water soaked position

