



Yucca-Series
Bollard / Wall Mounted Light



- Code Product: Yucca-Bollard Series
- Dimension: Ø200 X 170mm/250/500/800mm
- Input Voltage: 110-240VAC(50-60Hz)
- Power consumption: 6W
- Luminous Flux: 220Lm at 3000K
- Brand of LEDs: LED CREE
- Color: 3000K- CRI > 90 (Single color; 2200-5500K)
- Angle: 360°
- Function: None
- Material: Aluminium
- Finishing (Color housing): Anode White/ Power Coasting
- Electrical Class: I
- IP Class: 65

- LED lifetime: 50.000hrs
- Lens: Clear Cellular Sand | Material PMMA with UV protection
- Standards:
 - +EMC protection
 - +IEC 62031 LED modules for general lighting Safety specifications
 - +IEC 60598 Luminaires – Parts 1+2: General requirements particular requirements and tests



CREE




CE



IP65



Technical tolerance: 5%



220Lm at 3000K

Product Description

Control Gear	Fairchild Technology
LED Module	High-power LEDs on metal-core PCB. Collimating lens made of optical polymer/pmma
Anti-Glare	Option
Electrical Protection	EMC, inrush current
Electrical Class	3



220VAC (50-60Hz)

